

# Circular Economy Ontology Network (CEON) - Electronics Module

## Metadata

### IRI

<http://w3id.org/CEON/demo/electronics/>

### Title

Circular Economy Ontology Network (CEON) - Electronics Module

### Creator

Huanyu Li

### Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

### License

<https://creativecommons.org/licenses/by/4.0/>

### Version Iri

<http://w3id.org/CEON/demo/electronics/0.1/>

### Version Info

0.1

### Preferred Namespace Uri

<http://w3id.org/CEON/demo/electronics/>

### Description

The Electronics module of CEON (Circular Economy Ontology Network).

## Classes

Derived Unit <sup>c</sup>	
<b>IRI</b>	<a href="http://qudt.org/schema/qudt/DerivedUnit">http://qudt.org/schema/qudt/DerivedUnit</a>
<b>Is Defined By</b>	<a href="http://qudt.org/2.1/schema/qudt">http://qudt.org/2.1/schema/qudt</a>
<b>Description</b>	A DerivedUnit is a type specification for units that are derived from other units.
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/Unit">http://qudt.org/schema/qudt/Unit</a>
<b>Named Individuals</b>	<a href="#">pascal second</a> <sup>ni</sup>

## Actinoids Metal<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/ActinoidsMetal>

**Sub Class Of** [MetalMaterial<sup>C</sup>](#)

## Adhesive Material<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/AdhesiveMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Alkali Metal<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/AlkaliMetal>

**Sub Class Of** [MetalMaterial<sup>C</sup>](#)

## Alkaline Earth Metal<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/AlkalineEarthMetal>

**Sub Class Of** [MetalMaterial<sup>C</sup>](#)

## Aluminum Dome Tweeter<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/AluminumDomeTweeter>

**Sub Class Of** [electronics product<sup>C</sup>](#)

## Bromide Material<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/BromideMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Catalyst Material<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/CatalystMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Core Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/CoreMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Coupling Cone<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/CouplingCone>

**Sub Class Of** [electronics\\_product<sup>c</sup>](#)

## Damper<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/Damper>

**Sub Class Of** [electronics\\_product<sup>c</sup>](#)

**Named Individuals** [damper\\_x<sup>ni</sup>](#)

## Double Magnet<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/DoubleMagnet>

**Sub Class Of** [electronics\\_product<sup>c</sup>](#)

## electronics\_product<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/ElectronicsProduct>

**Sub Class Of** <http://w3id.org/CEON/ontology/product/Product>

**Super Class Of**

- [AluminumDomeTweeter<sup>c</sup>](#)
- [CouplingCone<sup>c</sup>](#)
- [Damper<sup>c</sup>](#)
- [DoubleMagnet<sup>c</sup>](#)
- [Frame<sup>c</sup>](#)
- [NeodymiumMagnet<sup>c</sup>](#)
- [Speaker<sup>c</sup>](#)

## Electronics Product Sourcing Component Relation<sup>C</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/ElectronicsProductSourcingComponentRelation>

**Sub Class Of** <http://w3id.org/CEON/ontology/provenance/Statement>

## Fibre Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/FibreMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Flame Retardant Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/FlameRetardantMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Frame<sup>C</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/Frame>

**Sub Class Of** [electronics product<sup>C</sup>](#)

## Hardener Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/HardenerMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Lca Unit<sup>C</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/LCAUnit>

**Description** Units for LCA (Life Cycle Assessment) environmental impact indexes

**Sub Class Of** <http://qudt.org/schema/qudt/Unit>

## Laminate Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/LaminateMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Matrix Additive M Aterial<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/MatrixAdditiveMAterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Metal Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/MetalMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

**Super Class Of**  
[ActinoidsMetal<sup>c</sup>](#)  
[AlkaliMetal<sup>c</sup>](#)  
[AlkalineEarthMetal<sup>c</sup>](#)  
[TransitionalMetal<sup>c</sup>](#)

## Neodymium Magnet<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/NeodymiumMagnet>

**Sub Class Of** [electronics\\_product<sup>c</sup>](#)

**Named Individuals** [neodymium\\_magnet\\_x<sup>ni</sup>](#)

## Non Metal Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/NonMetalMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

**Named Individuals**  
[carbon\\_material\\_a<sup>ni</sup>](#)  
[nitrogen\\_material\\_a<sup>ni</sup>](#)

## Post Customer Recycled Content<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/PostCustomerRecycledContent>

**Sub Class Of** <http://qudt.org/schema/qudt/Quantity>

**Named Individuals** [content\\_1<sup>ni</sup>](#)

## Pre Customer Recycled Content<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/PreCustomerRecycledContent>

**Description** The recycled content during the process of manufacturing or delivering products before delivering to a customer.

**Sub Class Of** <http://qudt.org/schema/qudt/Quantity>

## Prepreg Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/PrepregMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Rare Earth Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/RareEarthMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Renewable Content<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/RenewableContent>

**Description** The content of product/material that can be renewed.

**Sub Class Of** <http://qudt.org/schema/qudt/Quantity>

## Resin Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/ResinMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Speaker<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/Speaker>

**Sub Class Of** [electronics product<sup>C</sup>](#)

**Named Individuals** [speaker\\_x<sup>ni</sup>](#)

## Surface Finish Material<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/SurfaceFinishMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Transitional Metal<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/TransitionalMetal>

**Sub Class Of** [MetalMaterial<sup>C</sup>](#)

## Virgin Fossil Content<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/VirginFossilContent>

**Sub Class Of** <http://qudt.org/schema/qudt/Quantity>

## Issuing Resource<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/actor/IssuingResource>

**Named Individuals** [ds\\_issue\\_1<sup>ni</sup>](#)

## Process Participation<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/actor/ProcessParticipation>

**Named Individuals** [s63<sup>ni</sup>](#)

## Producing Resource<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/actor/ProducingResource>

### Named Individuals

[ss\\_1<sup>ni</sup>](#)

[ss\\_2<sup>ni</sup>](#)

[ss\\_3<sup>ni</sup>](#)

## Supplying Resource<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/actor/SupplyingResource>

**Named Individuals** [s7<sup>ni</sup>](#)

## Actor<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/actorODP/Actor>

### Named Individuals

[M<sup>ni</sup>](#)

[company\\_a<sup>ni</sup>](#)

[company\\_b<sup>ni</sup>](#)

[company\\_x<sup>ni</sup>](#)

[company\\_y<sup>ni</sup>](#)

[dismantling\\_company\\_b<sup>ni</sup>](#)

## Resource Relation<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/actorODP/ResourceRelation>

**Named Individuals** [composition\\_a<sup>ni</sup>](#)

## Process<sup>C</sup>

---

**IRI** <http://w3id.org/CEON/ontology/processODP/Process>

**Named Individuals** [dismantling\\_process\\_1<sup>ni</sup>](#)



## Object Properties

defined unit of system<sup>op</sup>

**IRI** <http://qudt.org/schema/qudt/definedUnitOfSystem>

derived coherent unit of system<sup>op</sup>

**IRI** <http://qudt.org/schema/qudt/derivedCoherentUnitOfSystem>

exact match<sup>op</sup>

**IRI** <http://qudt.org/schema/qudt/exactMatch>

has dimension vector<sup>op</sup>

**IRI** <http://qudt.org/schema/qudt/hasDimensionVector>

has unit<sup>op</sup>

**IRI** <http://qudt.org/schema/qudt/hasUnit>

participant role<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/actorODP/participantRole>

participating actor<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/actorODP/participatingActor>

participating resource<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/actorODP/participatingResource>

participation in<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/actorODP/participationIn>

## Datatype Properties

conversion multiplier <sup>dp</sup>
<b>IRI</b> <a href="http://qudt.org/schema/qudt/conversionMultiplier">http://qudt.org/schema/qudt/conversionMultiplier</a>
iec61360code <sup>dp</sup>
<b>IRI</b> <a href="http://qudt.org/schema/qudt/iec61360Code">http://qudt.org/schema/qudt/iec61360Code</a>
numerical value <sup>dp</sup>
<b>IRI</b> <a href="http://qudt.org/schema/qudt/numericalValue">http://qudt.org/schema/qudt/numericalValue</a>
si units expression <sup>dp</sup>
<b>IRI</b> <a href="http://qudt.org/schema/qudt/siUnitsExpression">http://qudt.org/schema/qudt/siUnitsExpression</a>
Lca-Acidification <sup>dp</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/demo/electronics/LCA-Acidification">http://w3id.org/CEON/demo/electronics/LCA-Acidification</a>
<b>Range</b> <a href="#">xsd:double</a>
Lca-Climate Change <sup>dp</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/demo/electronics/LCA-ClimateChange">http://w3id.org/CEON/demo/electronics/LCA-ClimateChange</a>
<b>Range</b> <a href="#">xsd:double</a>
Lca-Climate Change Biogenic <sup>dp</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/demo/electronics/LCA-ClimateChangeBiogenic">http://w3id.org/CEON/demo/electronics/LCA-ClimateChangeBiogenic</a>
<b>Range</b> <a href="#">xsd:double</a>
Lca-Climate Change Fossil <sup>dp</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/demo/electronics/LCA-ClimateChangeFossil">http://w3id.org/CEON/demo/electronics/LCA-ClimateChangeFossil</a>
<b>Range</b> <a href="#">xsd:double</a>

Lca-Ecotoxicity Freshwater<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-EcotoxicityFreshwater>

**Range** [xsd:double](#)

Lca-Eutrophication Freshwater<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-EutrophicationFreshwater>

**Range** [xsd:double](#)

Lca-Eutrophication Marine<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-EutrophicationMarine>

**Range** [xsd:double](#)

Lca-Human Toxicity Cancer<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-HumanToxicityCancer>

**Range** [xsd:double](#)

Lca-Lonising Radition Human Health<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-LonisingRaditionHumanHealth>

**Range** [xsd:double](#)

Lca-Mineral Use<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-MineralUse>

**Range** [xsd:double](#)

Lca-Water Use<sup>dp</sup>

---

**IRI** <http://w3id.org/CEON/demo/electronics/LCA-WaterUse>

**Range** [xsd:double](#)

## Batch number<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/batchNumber>

**Description** batchNumber represents the identical information of a batch of objects.

**Domain** <http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects>

**Range** [xsd:integer](#)

## component diameter<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/componentDiameter>

**Range** [xsd:double](#)

## component length<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/componentLength>

**Range** [xsd:double](#)

## Date of decomissioning<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/dateOfDecomissioning>

**Description** dateOfDecomissioning represents the date of decomissioning of a batch of products.

**Range** [xsd:dateTime](#)

## Date of installation<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/dateOfInstallation>

**Description** dateOfInstallation represents the date of installation of a batch of products.

**Range** [xsd:dateTime](#)

## Date of production<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/dateOfProduction>

**Description** dateOfProduction represents the date of production of a batch of products.

**Domain** <http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects>

**Range** [xsd:dateTime](#)

## decommission reason<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/decommissionReason>

**Description** The reason for a decommission operation.

**Range** [xsd:string](#)

## density at25<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/densityAt25>

**Range** [xsd:double](#)

## electrical conductivity<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/electricalConductivity>

**Range** [xsd:double](#)

## electrical resistivity<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/electricalResistivity>

**Range** [xsd:double](#)

## fatigue resistance<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/fatigueResistance>

## fiber elongation at break<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/fiberElongationAtBreak>

**Range** [xsd:double](#)

## fibres volume content<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/fibreVolumeContent>

**Range** [xsd:double](#)

## flame retardancy<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/flameRetardancy>

**Description** Flame Retardancy property is used to represent whether a product or content resist or delay the ignition and spread of fire. This property has 'True' or 'False' values.

**Range** [xsd:boolean](#)

## hazardous materials percentage<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/hazardousMaterialsPercentage>

**Description** The percentage of hazardous materials.

**Range** [xsd:double](#)

## high uv resistance<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/highUVResistance>

**Description** High UV Resistance property is used to represent whether a product or content withstand the damaging effects of ultraviolet (UV) radiation. It has values 'True' or 'False'.

**Range** [xsd:boolean](#)

instruction of repair<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/instructionOfRepair>

**Range** [xsd:string](#)

instruction of use and assembly<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/instructionOfUseAndAssembly>

**Range** [xsd:string](#)

instructionof maintenance<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/instructionofMaintenance>

**Range** [xsd:string](#)

lay up sequence<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/layUpSequence>

**Range** [xsd:string](#)

Location of batch component. The property may be replaced by a location module in the future.locationOfBatchComponent represents the location information of a component object within a batch.<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/locationOfBatchComponent>

**Range** [xsd:string](#)

maintenance report<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/maintenanceReport>

**Range** [xsd:string](#)

manufacturing sequence<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/manufacturingSequence>

**Range** [xsd:string](#)

number of recycling cycles<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/numberOfRecyclingCycles>

product diameter<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/productDiameter>

**Range** [xsd:double](#)

recycling pressure<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/recyclingPressure>

**Description** To represent the pressure condition in a recycling process.

**Range** [xsd:double](#)

recycling process duration<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/recyclingProcessDuration>

**Range** [xsd:double](#)

recycling process name<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/recyclingProcessName>

**Range** [xsd:string](#)

recycling temperature<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/recyclingTemperature>

**Description** To represent the temperature condition in a recycling process.

**Range** [xsd:double](#)



## refractive index at25<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/refractiveIndexAt25>

**Range** [xsd:double](#)

## reported damage<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/reportedDamage>

**Description** reportedDamage is used to represent damage information.

**Range** [xsd:string](#)

## reported repairs<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/reportedRepairs>

**Description** reportedRepairs is used to represent repairing information.

**Range** [xsd:string](#)

## sample length<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/sampleLength>

**Range** [xsd:double](#)

## shear strength<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/shearStrength>

**Range** [xsd:double](#)

## site address<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/siteAddress>

**Description** The address of the site. This property may be replaced by a location module in the future.

**Range** [xsd:string](#)

## site city<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/siteCity>

**Description** The city of the site. This property may be replaced by a location module in the future.

**Range** [xsd:string](#)

## site country<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/siteCountry>

**Description** The country of the site. This property may be replaced by a location module in the future.

**Range** [xsd:string](#)

## site name<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/siteName>

**Description** The name of the site where the batch of products is located. This property may be replaced by a location module in the future.

**Range** [xsd:string](#)

## site zip code<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/siteZipCode>

**Description** The Zip Code of the site. This property may be replaced by a location module in the future.

**Range** [xsd:string](#)

## size level<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/sizeLevel>

**Range** [xsd:double](#)

## stiffness<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/stiffness>

**Range** [xsd:double](#)

## tensile modulus<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/tensileModulus>

**Range** [xsd:double](#)

## tensile strength<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/tensileStrength>

**Description** Tensile Strength is a used to represent the ability of a product or some content to resist breaking when it is pulled apart. It is the maximum stress that a product can withstand before breaking.

**Range** [xsd:double](#)

## transition temperature<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/transitionTemperature>

**Description** Tg

**Range** [xsd:double](#)

## viscosity at25<sup>dp</sup>

**IRI** <http://w3id.org/CEON/demo/electronics/viscosityAt25>

**Range** [xsd:double](#)

## participation time point<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/actorODP/participationTimePoint>

## Annotation Properties

<b>expression</b> <sup>ap</sup>
<b>IRI</b> <a href="http://qudt.org/schema/qudt/expression">http://qudt.org/schema/qudt/expression</a>
<b>participating object</b> <sup>ap</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/ontology/actorODP/participatingObject">http://w3id.org/CEON/ontology/actorODP/participatingObject</a>
<b>participating subject</b> <sup>ap</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/ontology/actorODP/participatingSubject">http://w3id.org/CEON/ontology/actorODP/participatingSubject</a>
<b>statement about</b> <sup>ap</sup>
<b>IRI</b> <a href="http://w3id.org/CEON/ontology/provenance/statementAbout">http://w3id.org/CEON/ontology/provenance/statementAbout</a>

## Namespaces

:	<a href="http://w3id.org/CEON/demo/electronics/">http://w3id.org/CEON/demo/electronics/</a>
<b>dcterms</b>	<a href="http://purl.org/dc/terms/">http://purl.org/dc/terms/</a>
<b>owl</b>	<a href="http://www.w3.org/2002/07/owl#">http://www.w3.org/2002/07/owl#</a>
<b>prov</b>	<a href="http://www.w3.org/ns/prov#">http://www.w3.org/ns/prov#</a>
<b>rdf</b>	<a href="http://www.w3.org/1999/02/22-rdf-syntax-ns#">http://www.w3.org/1999/02/22-rdf-syntax-ns#</a>
<b>rdfs</b>	<a href="http://www.w3.org/2000/01/rdf-schema#">http://www.w3.org/2000/01/rdf-schema#</a>
<b>vann</b>	<a href="http://purl.org/vocab/vann/">http://purl.org/vocab/vann/</a>
<b>xsd</b>	<a href="http://www.w3.org/2001/XMLSchema#">http://www.w3.org/2001/XMLSchema#</a>

## Legend

c	Classes
op	Object Properties
dp	Datatype Properties

