

Circular Economy Ontology Network (CEON) - Actor Module

Metadata

IRI

<http://w3id.org/CEON/ontology/actor/>

Title

Circular Economy Ontology Network (CEON) - Actor Module

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2024-11-13

License

<https://creativecommons.org/licenses/by/4.0/>

Version Iri

<http://w3id.org/CEON/ontology/actor/0.3/>

Version Info

0.3

Preferred Namespace Prefix

actor

Preferred Namespace Uri

<http://w3id.org/CEON/ontology/actor/>

Description

The Actor module of CEON (Circular Economy Ontology Network).

Covers Requirements

In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDE D3.1: C0-1, C0-2, C3-4, T3-4

In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDE D3.2: C0-1, C0-2, C3-4, T3-4

Classes

Actor Cvn Role ^c	
IRI	http://w3id.org/CEON/ontology/actor/ActorCVNRole
Sub Class Of	ActorCollaborationRole^c
Named Individuals	collectorⁿⁱ dismantlerⁿⁱ manufacturerⁿⁱ recyclerⁿⁱ resellerⁿⁱ sellerⁿⁱ supplierⁿⁱ userⁿⁱ

Actor Collaboration Role^C

IRI <http://w3id.org/CE0N/ontology/actor/ActorCollaborationRole>

Sub Class Of [actorODP:Role^C](#)

Super Class Of
[ActorCVNRole^C](#)
[ActorProcessRole^C](#)

Actor Process Role^C

IRI <http://w3id.org/CE0N/ontology/actor/ActorProcessRole>

Sub Class Of [ActorCollaborationRole^C](#)

Actor Resource Role^C

IRI <http://w3id.org/CE0N/ontology/actor/ActorResourceRole>

Sub Class Of [actorODP:Role^C](#)

Named Individuals
[buyerⁿⁱ](#)
[consumerⁿⁱ](#)
[issuerⁿⁱ](#)
[ownerⁿⁱ](#)
[producerⁿⁱ](#)
[providerⁿⁱ](#)
[resellerⁿⁱ](#)
[sellerⁿⁱ](#)
[supplierⁿⁱ](#)
[updaterⁿⁱ](#)
[userⁿⁱ](#)
[viewerⁿⁱ](#)

Buying Resource^C

IRI <http://w3id.org/CE0N/ontology/actor/BuyingResource>

Sub Class Of [actorODP:ResourceRelation^C](#)

Equivalentclass [actorODP:ResourceRelation^C](#) and [actorODP:participantRole^{op}](#) value [buyer^C](#)

Cvn Participation^C

IRI <http://w3id.org/CE0N/ontology/actor/CVNParticipation>

Sub Class Of
[actorODP:CollaborationParticipation^C](#)
[actorODP:participatingActor^{op}](#) some [actorODP:Actor^C](#) and
[actorODP:CollaborationParticipation^C](#) and [actorODP:participantRole^{op}](#) some
[ActorCVNRole^C](#) and [actorODP:participationIn^{op}](#) some
[http://w3id.org/CE0N/ontology/cvn/CVN^C](http://w3id.org/CE0N/ontology/cvn/CVN)

Consuming Resource^c

IRI	http://w3id.org/CE0N/ontology/actor/ConsumingResource
Sub Class Of	actorODP:ResourceRelation^c
Equivalentclass	actorODP:ResourceRelation^c and actorODP:participantRole^{op} value consumer^c

Issuing Resource^c

IRI	http://w3id.org/CE0N/ontology/actor/IssuingResource
Sub Class Of	actorODP:ResourceRelation^c
Equivalentclass	actorODP:participantRole^{op} value issuer^c and actorODP:ResourceRelation^c

Manufacturing Resource^c

IRI	http://w3id.org/CE0N/ontology/actor/ManufacturingResource
Sub Class Of	actorODP:ResourceRelation^c
Equivalentclass	actorODP:ResourceRelation^c and actorODP:participantRole^{op} value manufacturer^c

Organisation^c

IRI	http://w3id.org/CE0N/ontology/actor/Organisation
Is Defined By	ISO 59004:2024 - 3.4.1 organization
Description	Person or group of people that has its own functions with responsibilities, authorities, and relationships to achieve its objectives. The concept of organization includes, but is not limited to sole-trader, company, corporation, firm, enterprise, authority, partnership, charity or institution, or part or combination thereof, whether incorporated or not, public or private (e.g. foundation, union, association, agency, municipality, region, country, intergovernmental agencies). A group of organizations can also be considered as an organization that has, alone or collectively, their own objectives.
Sub Class Of	actorODP:Actor^c hasOrganisationLocation^{op} some OrganisationLocation^c and hasOrganisationLocation^{op} only OrganisationLocation^c
In Domain Of	hasOrganisationLocation^{op} hasOrganisationName^{dp}
Restriction	hasOrganisationName^{dp} some Organisation^c

Organisation Location^C

IRI	http://w3id.org/CEON/ontology/actor/OrganisationLocation
Sub Class Of	http://w3id.org/CEON/ontology/location/Location
In Range Of	hasOrganisationLocation ^{OP}
Restriction	http://w3id.org/CEON/ontology/location/hasCity_max 1 OrganisationLocation ^C http://w3id.org/CEON/ontology/location/hasCountry_max 1 OrganisationLocation ^C http://w3id.org/CEON/ontology/location/hasPostalCode_max 1 OrganisationLocation ^C http://w3id.org/CEON/ontology/location/hasStreetAddress_max 1 OrganisationLocation ^C

Owning Resource^C

IRI	http://w3id.org/CEON/ontology/actor/OwningResource
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:participantRole ^{OP} value owner ^C and actorODP:ResourceRelation ^C

Person^C

IRI	http://w3id.org/CEON/ontology/actor/Person
Sub Class Of	actorODP:Actor ^C

Process Participation^C

IRI	http://w3id.org/CEON/ontology/actor/ProcessParticipation
Sub Class Of	actorODP:CollaborationParticipation ^C actorODP:CollaborationParticipation ^C and actorODP:participationIn ^{OP} some http://w3id.org/CEON/ontology/processODP/Process ^C and actorODP:participatingActor ^{OP} some actorODP:Actor ^C and actorODP:participantRole ^{OP} some ActorProcessRole ^C

Producing Resource^C

IRI	http://w3id.org/CEON/ontology/actor/ProducingResource
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:participantRole ^{OP} value producer ^C and actorODP:ResourceRelation ^C

Providing Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/ProvidingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:ResourceRelation^C and actorODP:participantRole^{OP} value provider^C

Repairing Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/RepairingResource
Sub Class Of	actorODP:ResourceRelation^C

Reselling Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/ResellingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:ResourceRelation^C and actorODP:participantRole^{OP} value reseller^C

Selling Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/SellingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:ResourceRelation^C and actorODP:participantRole^{OP} value seller^C

Stakeholder^C

IRI	http://w3id.org/CE0N/ontology/actor/Stakeholder
Is Defined By	ISO 59004:2024 - 3.4.2 interested party, stakeholder
Description	Person or organization that can affect, be affected by, or perceive itself to be affected by a decision or activity. To "perceive itself to be affected" means the perception has been made known to the organization.
Sub Class Of	Organisation^C or Person^C

Supplying Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/SupplyingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:participantRole^{OP} value supplier^C and actorODP:ResourceRelation^C

Updating Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/UpdatingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:participantRole^{OP} value updater^C and actorODP:ResourceRelation^C

Using Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/UsingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:ResourceRelation^C and actorODP:participantRole^{OP} value user^C

Viewing Resource^C

IRI	http://w3id.org/CE0N/ontology/actor/ViewingResource
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:ResourceRelation^C and actorODP:participantRole^{OP} value viewer^C

Actor^C

IRI	http://w3id.org/CE0N/ontology/actorODP/Actor
Super Class Of	Organisation^C Person^C

Capability^C

IRI	http://w3id.org/CE0N/ontology/actorODP/Capability
In Domain Of	capabilityExtent^{OP} neededResourceRelation^{OP}

Collaboration Participation^C

IRI	http://w3id.org/CE0N/ontology/actorODP/CollaborationParticipation
Super Class Of	CVNParticipation^C ProcessParticipation^C

Participation^C

IRI	http://w3id.org/CE0N/ontology/actorODP/Participation
------------	---

Resource Relation^C

IRI <http://w3id.org/CEON/ontology/actorODP/ResourceRelation>

Sub Class Of [actorODP:participantRole^{OP}](#) some [ActorResourceRole^C](#) and [actorODP:participatingActor^{OP}](#) some [actorODP:Actor^C](#) and [actorODP:Participation^C](#) and [actorODP:participatingResource^{OP}](#) some [http://w3id.org/CEON/ontology/resourceODP/Resource^C](http://w3id.org/CEON/ontology/resourceODP/Resource)

Super Class Of [BuyingResource^C](#)
[ConsumingResource^C](#)
[IssuingResource^C](#)
[ManufacturingResource^C](#)
[OwningResource^C](#)
[ProducingResource^C](#)
[ProvidingResource^C](#)
[RepairingResource^C](#)
[ResellingResource^C](#)
[SellingResource^C](#)
[SupplyingResource^C](#)
[UpdatingResource^C](#)
[UsingResource^C](#)
[ViewingResource^C](#)

Role^C

IRI <http://w3id.org/CEON/ontology/actorODP/Role>

Super Class Of [ActorCollaborationRole^C](#)
[ActorResourceRole^C](#)

Cvn^C

IRI <http://w3id.org/CEON/ontology/cvn/CVN>

Sub Class Of [http://w3id.org/CEON/ontology/cvn/Collaboration^C](http://w3id.org/CEON/ontology/cvn/Collaboration)

Collaboration^C

IRI <http://w3id.org/CEON/ontology/cvn/Collaboration>

Super Class Of [http://w3id.org/CEON/ontology/cvn/CVN^C](http://w3id.org/CEON/ontology/cvn/CVN)

Process^C

IRI <http://w3id.org/CEON/ontology/processODP/Process>

Resource^C

IRI <http://w3id.org/CEON/ontology/resourceODP/Resource>

Object Properties

capability extent ^{op}	
IRI	http://w3id.org/CE0N/ontology/actor/capabilityExtent
Sub Property Of	actorODP:capabilityProperty^{op}
Domain	actorODP:Capability^c

has organisation location ^{op}	
IRI	http://w3id.org/CE0N/ontology/actor/hasOrganisationLocation
Sub Property Of	http://w3id.org/CE0N/ontology/location/hasLocation
Domain	Organisation^c
Range	OrganisationLocation^c

needed resource relation ^{op}	
IRI	http://w3id.org/CE0N/ontology/actor/neededResourceRelation
Sub Property Of	actorODP:capabilityProperty^{op}
Domain	actorODP:Capability^c

capability property ^{op}	
IRI	http://w3id.org/CE0N/ontology/actorODP/capabilityProperty
Super Property Of	<ul style="list-style-type: none">• capabilityExtent^{op}• neededResourceRelation^{op}

participant role ^{op}	
IRI	http://w3id.org/CE0N/ontology/actorODP/participantRole

participating actor ^{op}	
IRI	http://w3id.org/CE0N/ontology/actorODP/participatingActor

participating resource ^{op}	
IRI	http://w3id.org/CE0N/ontology/actorODP/participatingResource

participation in^{op}

IRI <http://w3id.org/CE0N/ontology/actor0DP/participationIn>

Datatype Properties

has organisation name^{dp}

IRI <http://w3id.org/CE0N/ontology/actor/has0organisationName>

Domain [Organisation^c](#)

Range [xsd:string](#)

Annotation Properties

contributor^{ap}

IRI <http://purl.org/dc/terms/contributor>

created^{ap}

IRI <http://purl.org/dc/terms/created>

creator^{ap}

IRI <http://purl.org/dc/terms/creator>

description^{ap}

IRI <http://purl.org/dc/terms/description>

license^{ap}

IRI <http://purl.org/dc/terms/license>

title^{ap}

IRI <http://purl.org/dc/terms/title>

preferred namespace prefix^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespacePrefix>

preferred namespace uri^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespaceUri>

covers requirements^{ap}

IRI <http://www.ontologydesignpatterns.org/schemas/cannotation-schema.owl#coversRequirements>

Namespaces

:

<http://w3id.org/CEON/ontology/actor/>

actorODP

<http://w3id.org/CEON/ontology/actorODP/>

dcterms

<http://purl.org/dc/terms/>

odp

<http://www.ontologydesignpatterns.org/schemas/cannotationschema.owl#>

owl

<http://www.w3.org/2002/07/owl#>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

vann

<http://purl.org/vocab/vann/>

xsd

<http://www.w3.org/2001/XMLSchema#>

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties