

Circular Economy Ontology Network (CEON) - Resource ODP

Metadata

IRI

<http://w3id.org/CEON/ontology/resourceODP/>

Title

Circular Economy Ontology Network (CEON) - Resource ODP

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindcrantz

Robin Keskkä

Date Created

2024-11-12

License

<https://creativecommons.org/licenses/by/4.0/>

Version Iri

<http://w3id.org/CEON/ontology/resourceODP/0.4/>

Version Info

0.4

Preferred Namespace Prefix

resourceODP

Preferred Namespace Uri

<http://w3id.org/CEON/ontology/resourceODP/>

Description

A core ODP of the CEON ontology network defining aspects of the resource concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Resource-1,3, CVN-Composition-1,2, CVN-ResrouceType-4, C7-3, E2-2, E4-6, E5-1, E6-3, T3-1.

Covers the following requirements from Onto-DESIDE D3.2: CE1-2, CE3-3, CE4-3, CE5-2, CE9-1, CE10-1, CE11-8, CE12-2, CE12-4, C7-3, E2-2, E4-6, E5-1, E6-3, T3-1.

Classes

Location ^c	
<u>IRI</u>	http://w3id.org/CEON/ontology/location/Location
<u>In Range Of</u>	hasResourceLocation^{op}
Asset ^c	
<u>IRI</u>	http://w3id.org/CEON/ontology/resourceODP/Asset
<u>Super Class Of</u>	Information^c Resource^c

Batch^c

IRI <http://w3id.org/CEON/ontology/resourceODP/Batch>

Description A batch of objects is a collection of physical objects that are of the same type, e.g. a set of items (product instances) adhering to the same product model.

Sub Class Of [Resource^c](#)
[has physical object^{op}](#) some [Physical object^c](#) *and* [has physical object^{op}](#) only [Physical object^c](#)

In Domain Of [batch size^{dp}](#)

In Range Of [has batch^{op}](#)

Restriction [batch size^{dp}](#) *exactly* 1 [Batch^c](#)

Constituent^c

IRI <http://w3id.org/CEON/ontology/resourceODP/Constituent>

Description A constituent is a component of object.

In Range Of [has constituent^{op}](#)

Digital object^c

IRI <http://w3id.org/CEON/ontology/resourceODP/DigitalObject>

Sub Class Of [Resource^c](#)

Information^c

IRI <http://w3id.org/CEON/ontology/resourceODP/Information>

Description Information is an abstract concept that represents any kind of interpretations. For instance, information can be data generated by software systems or data used by people for communications.

Sub Class Of [Asset^c](#)

In Domain Of [containsInformation^{op}](#)
[isAbout^{op}](#)

In Range Of [containsInformation^{op}](#)
[is realization of^{op}](#)

Matter^C

IRI	http://w3id.org/CEON/ontology/resource0DP/Matter
Description	A matter is a physical substance.
In Range Of	has matter^{op}

Physical object^C

IRI	http://w3id.org/CEON/ontology/resource0DP/PhysicalObject
Description	A physical object is a collection of matter.
Sub Class Of	Resource^C has constituent^{op} some Constituent^C <i>and</i> has constituent^{op} only Constituent^C has matter^{op} only Matter^C <i>and</i> has matter^{op} some Matter^C
In Domain Of	has constituent^{op} has matter^{op}
In Range Of	has physical object^{op}

Resource^C

IRI	http://w3id.org/CEON/ontology/resource0DP/Resource
Is Defined By	ISO 59004:2024 - 3.1.5 resource
Description	Asset from which a solution is created or implemented. Depending on the context, reference to "resource" includes "raw material", "feedstock", "material" or "component". Resource includes any energy type (e.g. the energy content or energy potential of materials). Note 4 to entry: Resources can be considered concerning both stocks and flows.
Sub Class Of	Asset^C
In Domain Of	hasResourceLocation^{op}
Super Class Of	Batch^C Digital object^C Physical object^C Set of objects^C

Set of objects^c

IRI	http://w3id.org/CEON/ontology/resourceODP/SetOfObjects
Description	A set of objects is a set of physical objects (items) that can be of different types, i.e. different kinds of items.
Sub Class Of	Resource^c has batch^{op} only Batch^c <i>and</i> has batch^{op} some Batch^c has physical object^{op} only Physical object^c <i>and</i> has physical object^{op} some Physical object^c
In Domain Of	has batch^{op}

Object Properties

has location^{op}

IRI	http://w3id.org/CEON/ontology/location/hasLocation
Super Property Of	hasResourceLocation^{op}

contains information^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/containsInformation
Sub Property Of	hasPart^{op}
Domain	Information^c
Range	Information^c

has batch^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/hasBatch
Description	hasBatch intends to represent that a set of objects can be captured by a number of batches where each batch contains a number of physical objects.
Domain	Set of objects^c
Range	Batch^c

has constituent^{op}

IRI <http://w3id.org/CEON/ontology/resource0DP/hasConstituent>

Description hasConstituent intends to represent that a physical object can have a collection of composing components.

Sub Property Of [hasPart^{op}](#)

Domain [Physical object^c](#)

Range [Constituent^c](#)

has matter^{op}

IRI <http://w3id.org/CEON/ontology/resource0DP/hasMatter>

Description hasMatter intends to represent that a physical object can have a collection of matter.

Domain [Physical object^c](#)

Range [Matter^c](#)

has part^{op}

IRI <http://w3id.org/CEON/ontology/resource0DP/hasPart>

Super Property Of

- [containsInformation^{op}](#)
- [has constituent^{op}](#)

has physical object^{op}

IRI <http://w3id.org/CEON/ontology/resource0DP/hasPhysicalObject>

Description hasPhysicalObject intends to represent that a batch of objects or a set of objects can have composing components of physical objects.

Domain [Batch^c or Set of objects^c](#)

Range [Physical object^c](#)

has resource location^{op}

IRI <http://w3id.org/CEON/ontology/resource0DP/hasResourceLocation>

Sub Property Of [location:hasLocation^{op}](#)

Domain [Resource^c](#)

Range [location:Location^c](#)

is about^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/isAbout
Domain	Information^c

is realization of^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/isRealizationOf
Range	Information^c

Datatype Properties

batch size^{dp}

IRI	http://w3id.org/CEON/ontology/resourceODP/batchSize
Description	batchSize intends to represent how many physical objects are belong to a batch of objects.
Domain	Batch^c
Range	xsd:nonNegativeInteger

Annotation Properties

description^{ap}

IRI	http://purl.org/dc/elements/1.1/description
-----	---

contributor^{ap}

IRI	http://purl.org/dc/terms/contributor
-----	---

created^{ap}

IRI	http://purl.org/dc/terms/created
-----	---

creator^{ap}

IRI	http://purl.org/dc/terms/creator
-----	---

description^{ap}

IRI	http://purl.org/dc/terms/description
-----	---

license ap

IRI <http://purl.org/dc/terms/license>

title ap

IRI <http://purl.org/dc/terms/title>

preferred namespace prefix ap

IRI <http://purl.org/vocab/vann/preferredNamespacePrefix>

preferred namespace uri ap

IRI <http://purl.org/vocab/vann/preferredNamespaceUri>

covers requirements ap

IRI <http://www.ontologydesignpatterns.org/schemas/cpannotation/schema.owl#coversRequirements>

definition ap

IRI <http://www.w3.org/2004/02/skos/core#definition>

pref label ap

IRI <http://www.w3.org/2004/02/skos/core#prefLabel>

Namespaces

:

: <http://w3id.org/CEON/ontology/resourceODP/>

dc

<http://purl.org/dc/elements/1.1/>

dcterms

<http://purl.org/dc/terms/>

geo

<http://www.opengis.net/ont/geosparql#>

location

<http://w3id.org/CEON/ontology/location/>

odp

<http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#>

owl

<http://www.w3.org/2002/07/owl#>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

skos

<http://www.w3.org/2004/02/skos/core#>

vann

<http://purl.org/vocab/vann/>

xsd

<http://www.w3.org/2001/XMLSchema#>

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties